

## Standard Dry Cargo Containers

Type		20' (8'0" High Almi)	20' (8'0" High Steel)
Spec No.		S2-6907A	S2-7401S
External Dimensions	Length	6058 mm (19'10" 1/2)	6058 mm (19'10" 1/2)
	Width	2438 mm (8'0")	2438 mm (8'0")
	Height	2438 mm (8'0")	2438 mm (8'0")
Internal Dimensions	Length	5917 mm (19'4" 15/16)	5896 mm (19'4" 1/8)
	Width	2343 mm (7'8" 1/4)	2335 mm (7'7" 15/16)
	Height	2249 mm (7'4" 9/16)	2238 mm (7'4" 1/8)
Interior Capacity		31.2 m <sup>3</sup> (1100 cft)	30.8 m <sup>3</sup> (1090 cft)
Door Open	Width	2332 mm (7'7" 13/16)	2320 mm (7'7" 5/16)
	Height	2146 mm (7'0" 1/2)	2137 mm (7'0" 1/8)
Tare Weight		1600 kg (3520 lbs)	2210 kg (4870 lbs)
Pay Load		18720 kg (41280 lbs)	18110 kg (39930 lbs)
Gross Weight		20320 kg (44800 lbs)	20320 kg (44800 lbs)

## Standard Dry Cargo Containers

Type		20' (8'6" High Almi)	20' (8'6" High Steel)
Spec No.		S2-8906A	S2-9001S
External Dimensions	Length	6058 mm (19'10" 1/2)	6058 mm (19'10" 1/2)
	Width	2438 mm (8'0")	2438 mm (8'0")
	Height	2591 mm (8'6")	2591 mm (8'6")
Internal Dimensions	Length	5926 mm (19'5" 5/16)	5899 mm (19'4" 1/4)
	Width	2349 mm (7'8" 7/16)	2352 mm (7'8" 9/16)
	Height	2382 mm (7'9" 3/4)	2386 mm (7'9" 15/16)
Interior Capacity		33.2 m <sup>3</sup> (1711 cft)	33.1 m <sup>3</sup> (1169 cft)
Door Open	Width	2343 mm (7'8" 1/4)	2340 mm (7'8" 1/8)
	Height	2279 mm (7'5" 3/4)	2272 mm (7'5" 7/16)
Tare Weight		1790 kg (3950 lbs)	2220 kg (4890 lbs)
Pay Load		22210 kg (48960 lbs)	21780 kg (48020 lbs)
Gross Weight		24000 kg (52910 lbs)	24000 kg (52910 lbs)

## Standard Dry Cargo Containers

Type		40' (8'6" High Almi)	20' (8'6" High Steel)
Spec No.		S4-9109A	S4-9101S
External Dimensions	Length	12192 mm (40'0")	12192 mm (40'0")
	Width	2438 mm (8'0")	2438 mm (8'0")
	Height	2591 mm (8'6")	2591 mm (8'6")
Internal Dimensions	Length	12052 mm (39'6" 1/2)	12033 mm (39'5" 3/4)
	Width	2346 mm (7'8" 3/8)	2352 mm (7'8" 5/8)
	Height	2382 mm (7'9" 3/4)	2386 mm (7'9" 15/16)
Interior Capacity		67.3 m <sup>3</sup> (2377 cft)	67.5 m <sup>3</sup> (2385 cft)
Door Open	Width	2343 mm (7'8" 1/4)	2340 mm (7'8" 1/8)
	Height	2279 mm (7'5" 3/4)	2272 mm (7'5" 7/16)
Tare Weight		2870 kg (6330 lbs)	3740 kg (8250 lbs)
Pay Load		27610 kg (60870 lbs)	26740 kg (58950 lbs)
Gross Weight		30480 kg (67200 lbs)	30480 kg (67200 lbs)

## Standard Dry Cargo Containers

Type		40' (9'6" High Almi)	40' (9'6" High Steel)
Spec No.		C4-9102A	C4-9101S
External Dimensions	Length	12192 mm (40'0")	12192 mm (40'0")
	Width	2438 mm (8'0")	2438 mm (8'0")
	Height	2896 mm (9'6")	2896 mm (9'6")
Internal Dimensions	Length	12052 mm (39'6" 1/2)	12033 mm (39'5" 3/4)
	Width	2346 mm (7'8" 3/8)	2352 mm (7'8" 5/8)
	Height	2687 mm (8'9" 13/16)	2691 mm (8'9" 15/16)
Interior Capacity		75.9 m <sup>3</sup> (2682 cft)	76.2 m <sup>3</sup> (2690 cft)
Door Open	Width	2343 mm (7'8" 1/4)	2340 mm (7'8" 1/8)
	Height	2585 mm (8'5" 3/4)	2577 mm (8'5" 1/2)
Tare Weight		3000 kg (6620 lbs)	3920 kg (8640 lbs)
Pay Load		27480 kg (60580 lbs)	26560 kg (58560 lbs)
Gross Weight		30480 kg (67200 lbs)	30470 kg (67200 lbs)

## Standard Dry Cargo Containers

Type		45' (9'6" High Almi)
Spec No.		L4-9002A
External Dimensions	Length	13716 mm (45'0")
	Width	2438 mm (8'0")
	Height	2896 mm (9'6")
Internal Dimensions	Length	13576 mm (44'6" 1/2)
	Width	2345 mm (7'8" 3/8)
	Height	2686 mm (8'9" 3/4)
Interior Capacity		85.5m <sup>3</sup> (3021 cft)
Door Open	Width	2343 mm (7'8" 1/4)
	Height	2585 mm (8'5" 3/4)
Tare Weight		3950 kg (8710 lbs)
Pay Load		26530 kg (58940 lbs)
Gross Weight		30480 kg (67200 lbs)